

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050065973"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:31
L2	7	707/102.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:34
L3	0	707/101.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:32
L4	4	707/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:34
L5	2	"4989132".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/04 18:41
L6	2	"20050065973"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L7	2	(memory adj management) with (memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L8	6	(memory near2 partition\$4) and (object\$1oriented adj program) and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L9	0	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and (memory adj shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L10	1	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L11	96	(memory with (partition or region) with (garbage near2 collect\$4)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L12	10	(memory with (partition or region) with (garbage near2 collect\$4) with (pointer or link)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L13	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L14	6	("6249793" or "6865657" or "4989132").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L15	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L16	234	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L17	45	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L18	42	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L19	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node) and (objects with oriented with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L20	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L21	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L22	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes) and (garbage adj collection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L23	59	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L24	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L25	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L26	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L27	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L28	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L29	7	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L30	0	(creat\$3 with (shape near2 graph)) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L31	2	(creat\$3 with (shape near2 graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L32	559	(creat\$3 with (graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L33	341	(creat\$3 near2 graph) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L34	1	((creat\$3 near2 graph) with shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L35	319	(creat\$3 near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L36	0	(creat\$3 near2 shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L37	87	(creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L38	4	((creat\$3 near2 shape) with memory) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L39	4	(shape adj graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L40	4	(shape adj diagram) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L41	1	(shape adj diagram) and (memory with management) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L42	0	703/103.00R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L43	0	703/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L44	21	703/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L45	4231	707/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L46	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L47	0	707/10300Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L48	23	(memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L49	0	707/103.00Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L50	4	707/103\$.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L51	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L52	4	707/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L53	0	707/206.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L54	259666	(query or search) and (terms or key\$word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L55	30	(query or search) and ((terms or key\$word\$1) with re\$1build)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L56	0	(query or search) with ((terms or key\$word\$1) with re\$1build) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L57	181	(query or search) with ((terms or key\$word\$1) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L58	0	((query or search) with (two near1 (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L59	0	((query or search) with (two adj (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L60	45	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L61	0	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) with synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L62	0	((query or search) with (two adj (terms or key\$word\$1) with synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L63	26	((query or search) with (two adj (terms or key\$word\$1) and synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L64	4	((query or search) with (two adj (terms or key\$word\$1) same synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L65	0	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) with synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L66	3	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) same synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L67	2	"6676412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L68	6	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L69	0	(shape near2 graph near2 memory) and (relation near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L70	0	(shape near2 graph near2 memory) and (relation with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L71	0	(memory adj shape adj graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L72	0	(memory with shape with graph with relaions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L73	1375	(shape near2 graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L74	61	(graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L75	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L76	0	(nodes with edges with graph with memory) and (relations near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L77	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L78	0	"relaions between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L79	204	(shape with graph with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L80	1	(shape with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L81	3	("relations between regions" with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L82	87	"relations between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L83	0	"relations between the regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L84	0	("relations between regions") and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L85	5	(relations with regions) and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L86	156	"relations between regions" or "relations between partitions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L87	40	("relations between regions" or "relations between partitions") and memory and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L88	7	("relations between regions" or "relations between partitions") and memory and graph and shape and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L89	7	("6092090" or "6119117" or "6161107").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L90	3	("6092090" or "6119117" or "6161107").pn.	USPAT	OR	ON	2007/06/04 18:42
L91	0	(memory near2 (partition or region) with identif\$4 with (pointer or link or edge) with nodes with object) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L92	1	(identif\$4 with (memory near2 (partition or region)) with object) and ((pointer or link or edge) with nodes) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L93	0	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and (memory adj shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L94	96	(memory with (partition or region) with (garbage near2 collect\$4)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L95	234	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L96	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node) and (objects with oriented with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L97	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L98	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L99	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes) and (garbage adj collection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L100	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L101	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L102	0	(creat\$3 with (shape near2 graph)) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L103	559	(creat\$3 with (graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L104	341	(creat\$3 near2 graph) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L105	0	707/206.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L106	0	(query or search) with ((terms or key\$word\$1) with re\$1build) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L107	0	(memory adj shape adj graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L108	0	(memory with shape with graph with relaions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L109	1375	(shape near2 graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L110	61	(graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L111	0	(nodes with edges with graph with memory) and (relations near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L112	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L113	156	"relations between regions" or "relations between partitions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L114	0	"relaions between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L115	204	(shape with graph with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L116	87	"relations between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L117	0	"relations between the regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L118	0	("relations between regions") and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L119	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L120	0	(creat\$3 near2 shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L121	87	(creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L122	4	(shape adj graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L123	4	707/103\$.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L124	0	703/103.00R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L125	0	703/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L126	21	703/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L127	4231	707/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L128	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L129	0	707/10300Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L130	0	707/103.00Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L131	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L132	4	707/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L133	259666	(query or search) and (terms or key\$word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L134	0	((query or search) with (two adj (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L135	0	((query or search) with (two adj (terms or key\$word\$1) with synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L136	0	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) with synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L137	6	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L138	0	((query or search) with (two near1 (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L139	26	((query or search) with (two adj (terms or key\$word\$1) and synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L140	0	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) with synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L141	7	("6092090" or "6119117" or "6161107").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L142	1	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L143	1	(shape adj diagram) and (memory with management) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L144	0	(shape near2 graph near2 memory) and (relation near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L145	0	(shape near2 graph near2 memory) and (relation with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L146	40	("relations between regions" or "relations between partitions") and memory and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L147	1	((creat\$3 near2 graph) with shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L148	6	(memory near2 partition\$4) and (object\$1oriented adj program) and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L149	2	"20050065973"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L150	6	("6249793" or "6865657" or "4989132").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L151	1	(shape with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L152	2	(memory adj management) with (memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L153	10	(memory with (partition or region) with (garbage near2 collect\$4) with (pointer or link)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L154	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L155	45	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L156	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L157	42	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L158	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L159	59	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L160	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L161	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L162	2	(creat\$3 with (shape near2 graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L163	7	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L164	4	((creat\$3 near2 shape) with memory) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L165	30	(query or search) and ((terms or key\$word\$1) with re\$1build)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L166	4	(shape adj diagram) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L167	23	(memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L168	45	((query or search) with (two adj (terms or key\$word\$1))) and (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L169	3	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) same synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42

EAST Search History

L170	3	("relations between regions" with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L171	3	("6092090" or "6119117" or "6161107").pn.	USPAT	OR	ON	2007/06/04 18:42
L172	181	(query or search) with ((terms or key\$word\$1) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L173	319	(creat\$3 near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L174	4	((query or search) with (two adj (terms or key\$word\$1) same synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L175	7	("relations between regions" or "relations between partitions") and memory and graph and shape and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L176	2	"6676412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
L177	5	(relations with regions) and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:42
S1	2	"20050065973"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 14:16
S2	2	(memory adj management) with (memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 08:45

EAST Search History

S4	6	(memory near2 partition\$4) and (object\$1oriented adj program) and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 09:14
S5	0	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and (memory adj shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 09:14
S6	1	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 09:15
S7	93	(memory with (partition or region) with (garbage near2 collect\$4)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 17:24
S8	9	(memory with (partition or region) with (garbage near2 collect\$4) with (pointer or link)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 11:43
S9	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 18:55
S10	6	("6249793" or "6865657" or "4989132").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:46
S13	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 18:57
S14	227	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 18:57
S15	40	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 18:58

EAST Search History

S16	37	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:01
S17	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node) and (objects with oriented with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:01
S18	58	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:07
S19	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:02
S20	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:03
S21	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes) and (garbage adj collection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:03
S22	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:47
S23	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:48
S24	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:50
S25	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:50

EAST Search History

S26	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:36
S27	6	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:37
S28	0	(creat\$3 with (shape near2 graph)) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:38
S29	2	(creat\$3 with (shape near2 graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:48
S30	515	(creat\$3 with (graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:48
S31	319	(creat\$3 near2 graph) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:48
S32	297	(creat\$3 near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:53
S33	1	((creat\$3 near2 graph) with shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:49
S34	0	(creat\$3 near2 shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:54
S35	82	(creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:38

EAST Search History

S36	4	((creat\$3 near2 shape) with memory) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:58
S37	3	(shape adj graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 11:42
S38	3	(shape adj diagram) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 09:03
S39	1	(shape adj diagram) and (memory with management) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 09:04
S40	0	703/103.00R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:41
S41	0	703/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:40
S42	20	703/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 18:32
S43	3952	707/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:40
S44	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:40
S45	0	707/10300Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:42

EAST Search History

S46	21	(memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:41
S47	0	707/103.00Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:43
S48	3	707/103\$.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:44
S49	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:44
S50	3	707/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:44
S51	0	707/206.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:44
S52	224505	(query or search) and (terms or key\$word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:32
S53	28	(query or search) and ((terms or key\$word\$1) with re\$1build)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:38
S54	0	(query or search) with ((terms or key\$word\$1) with re\$1build) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:38
S55	109	(query or search) with ((terms or key\$word\$1) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:45

EAST Search History

S56	0	((query or search) with (two near1 (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:46
S57	0	((query or search) with (two adj (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:46
S58	42	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 10:03
S59	0	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) with synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:54
S60	0	((query or search) with (two adj (terms or key\$word\$1) with synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:54
S61	24	((query or search) with (two adj (terms or key\$word\$1) and synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:54
S62	3	((query or search) with (two adj (terms or key\$word\$1) same synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:55
S63	0	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) with synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 10:04
S64	2	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) same synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 10:38
S65	2	"6676412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 10:38

EAST Search History

S66	6	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:55
S67	0	(shape near2 graph near2 memory) and (relation near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:54
S68	0	(shape near2 graph near2 memory) and (relation with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:54
S69	0	(memory adj shape adj graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:54
S70	0	(memory with shape with graph with relaions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:55
S71	1356	(shape near2 graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:55
S72	204	(shape with graph with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:56
S73	1	(shape with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:57
S74	59	(graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:57
S75	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:58

EAST Search History

S76	0	(nodes with edges with graph with memory) and (relations near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:58
S77	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:59
S78	0	"relaions between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:00
S79	86	"relations between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:06
S80	0	"relations between the regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:00
S81	3	("relations between regions" with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:02
S82	0	("relations between regions") and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:03
S83	5	(relations with regions) and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:03
S84	147	"relations between regions" or "relations between partitions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:06
S85	40	("relations between regions" or "relations between partitions") and memory and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:07

EAST Search History

S86	7	("relations between regions" or "relations between partitions") and memory and graph and shape and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:07
S87	7	("6092090" or "6119117" or "6161107").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 18:29
S88	3	("6092090" or "6119117" or "6161107").pn.	USPAT	OR	ON	2007/01/15 18:29
S89	0	(memory near2 (partition or region) with identif\$4 with (pointer or link or edge) with nodes with object) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 11:44
S90	1	(identif\$4 with (memory near2 (partition or region)) with object) and ((pointer or link or edge) with nodes) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 11:46
S91	2	"20050065973"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S92	2	(memory adj management) with (memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S93	6	(memory near2 partition\$4) and (object\$1oriented adj program) and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S94	0	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and (memory adj shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S95	1	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

S96	96	(memory with (partition or region) with (garbage near2 collect\$4)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S97	10	(memory with (partition or region) with (garbage near2 collect\$4) with (pointer or link)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S98	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S99	6	("6249793" or "6865657" or "4989132").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S100	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S101	234	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S102	45	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S103	42	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S104	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node) and (objects with oriented with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S105	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

S10 6	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S10 7	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes) and (garbage adj collection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S10 8	59	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S10 9	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 0	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 1	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 2	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 3	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 4	7	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 5	0	(creat\$3 with (shape near2 graph)) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

S11 6	2	(creat\$3 with (shape near2 graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 7	543	(creat\$3 with (graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 8	333	(creat\$3 near2 graph) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S11 9	1	((creat\$3 near2 graph) with shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 0	311	(creat\$3 near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 1	0	(creat\$3 near2 shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 2	83	(creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 3	4	((creat\$3 near2 shape) with memory) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 4	4	(shape adj graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 5	4	(shape adj diagram) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

S12 6	1	(shape adj diagram) and (memory with management) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 7	0	703/103.00R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 8	0	703/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S12 9	20	703/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 0	4111	707/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 1	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 2	0	707/10300Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 3	23	(memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 4	0	707/103.00Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 5	3	707/103\$.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

S13 6	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 7	3	707/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 8	0	707/206.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S13 9	243008	(query or search) and (terms or key\$word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 0	29	(query or search) and ((terms or key\$word\$1) with re\$1build).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 1	0	(query or search) with ((terms or key\$word\$1) with re\$1build) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 2	124	(query or search) with ((terms or key\$word\$1) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 3	0	((query or search) with (two near1 (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 4	0	((query or search) with (two adj (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 5	43	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

S14 6	0	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) with synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 7	0	((query or search) with (two adj (terms or key\$word\$1) with synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 8	25	((query or search) with (two adj (terms or key\$word\$1) and synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S14 9	3	((query or search) with (two adj (terms or key\$word\$1) same synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 0	0	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) with synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 1	2	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) same synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 2	2	"6676412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 3	6	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 4	0	(shape near2 graph near2 memory) and (relation near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 5	0	(shape near2 graph near2 memory) and (relation with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

S15 6	0	(memory adj shape adj graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 7	0	(memory with shape with graph with relaions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 8	1357	(shape near2 graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S15 9	59	(graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 0	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 1	0	(nodes with edges with graph with memory) and (relations near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 2	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 3	0	"relaions between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 4	204	(shape with graph with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 5	1	(shape with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

S16 6	3	("relations between regions" with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 7	86	"relations between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 8	0	"relations between the regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S16 9	0	("relations between regions") and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S17 0	5	(relations with regions) and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S17 1	147	"relations between regions" or "relations between partitions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S17 2	40	("relations between regions" or "relations between partitions") and memory and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S17 3	7	("relations between regions" or "relations between partitions") and memory and graph and shape and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S17 4	7	("6092090" or "6119117" or "6161107").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
S17 5	3	("6092090" or "6119117" or "6161107").pn.	USPAT	OR	ON	2007/01/21 12:16